





## **Test Report**

號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025 頁數(Page 1997)

Ort

頁數(Page):1 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION)

高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 樣品名稱(Sample Name) : 熱浸鍍鋅產品(HOT-DIP GALVANIZED PRODUCTS)

樣品型號(Style/Item No.) : 熱浸鍍鋅無鉻鈍化皮膜鋼捲(申請用1)(HOT-DIP GALVANIZED COILS (CR-FREE

COATING, G6))

\_\_\_\_\_\_

收件日(Sample Receiving Date)

31-Dec-2024

測試期間(Testing Period)

: 31-Dec-2024 to 08-Jan-2025

**測試需求(Test Requested)** : 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測

試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion) : 根據客戶所提供的樣品,其錦、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP,

BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU)

2015/863之限值要求。 (Based on the performed tests on submitted

sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部 建理**SGS**Ray Chang, Ph.D./ Department Manager
Signed for and on behali
SGS TAIWAN LTD.

化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: D428A915







**Test Report** 

號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025 頁數(Page): 2 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

#### 測試部位敘述 (Test Part Description)

No.1 : 銀色金屬 (SILVER COLORED METAL)

#### 測試結果 (Test Results)

	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	依據IEC 62321-5: 2013 · 以感應耦合電	mg/kg	2	n.d.	100
	漿發射光譜儀分析。(According to IEC				
鉛 (Pb) (Lead (Pb))	62321-5: 2013, analysis was performed	mg/kg	2	n.d.	1000
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	依據IEC 62321-4: 2013+ AMD1: 2017 ·	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。				
	(According to IEC 62321-4: 2013+				
	AMD1: 2017, analysis was performed				
	by ICP-OES.)				
六價鉻 (Hexavalent Chromium) Cr(VI)	依據IEC 62321-7-1: 2015,以紫外光-可	μg/cm²	0.1	n.d.	-
(#2)	見光分光光度計分析。(According to IEC				
	62321-7-1: 2015, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)	自訂方法(文件編號: TESP-KE-082)參考 IEC 62321-6: 2015·以氣相層析儀/質譜 儀分析。(In house method (Doc. No. : TESP-KE-082) refer to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	=
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	=
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000







**Test Report** 

號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025 頁數(Page): 3 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)	自訂方法(文件編號: TESP-KE-082)參考 IEC 62321-6: 2015·以氣相層析儀/質譜 儀分析。(In house method (Doc. No.: TESP-KE-082) refer to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	=
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	=
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	=
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	=
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	=
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	=
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	依據IEC 62321-8: 2017,以氣相層析儀/	mg/kg	50	n.d.	1000
phthalate (DBP))	質譜儀分析。(According to IEC 62321-				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
phthalate (DIBP))	GC/MS.)				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))					







## **Test Report**

號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025 頁數(Page): 4 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION)

高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. (#2) =
  - a. 當六價鉻結果大於 $0.13~\mu g/cm^2$ ·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than  $0.13~\mu g/cm^2$ . The sample coating is considered to contain Cr(VI).) b. 當六價鉻結果為n.d. (濃度小於 $0.10~\mu g/cm^2$ )·表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than  $0.10~\mu g/cm^2$ ). The coating is considered a non-Cr(VI) based coating) c. 當六價鉻結果介於0.10~D0.13  $\mu g/cm^2$  時·無法確定塗層是否含有六價鉻。(The result between  $0.10~\mu g/cm^2$  and  $0.13~\mu g/cm^2$  is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 6. 除非另有說明·參照ILAC-G8:09/2019決定規則·採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
- 7. 申請人提交的產品是用於電機電子設備之原物料。(The product from the applicant submitted is a raw material which is used for electric and electronic equipment.)







Test Report


號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025 頁數(Page): 5 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)










號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025

頁數(Page): 6 of 8

# **Test Report**

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

#### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART





# 測試報告 Test Report






號碼(No.): EKR24C02075 日期(Date): 08-Jan-2025

頁數(Page):7 of 8

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】









號碼(No.): EKR24C02075

日期(Date): 08-Jan-2025


頁數(Page):8 of 8

## **Test Report**

中國鋼鐵股份有限公司 (CHINA STEEL CORPORATION) 高雄市小港區中鋼路1號 (1, CHUNG KANG RD., HSIAO KANG, KAOHSIUNG 81233, TAIWAN, REPUBLIC OF CHINA)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### EKR24C02075



\*\* 報告結尾 (End of Report) \*\*